



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

1 of 3

Candy Flip

Overall Status: Pass

Sample ID: 2208NIVA4107.12170

Strain: N/A

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch Size:

Produced:

Collected: 08/16/2022

Received: 08/16/2022

Completed: 08/18/2022

Batch#:

Client

Pacific Grown Organics

Lic. # CCL21-0004778

5892 Via Real

Carpinteria, CA 93013



Pass

Foreign Matter

SOPTS.4.001

Pass

Heavy Metals

SOPTS.4.500 ICP-MS

Not Tested

Terpenes

SOPTS.4.200/SOPTS.4.800

Pass

Pesticides

SOPTS.4.301 GC-MS/MS
SOPTS.4.300 LC-MS/MS

Pass

Microbials

SOPTS.4.600 PathogenDx
SOPTS.4.900 qPCR

Not Tested

Solvents

SOPTS.4.400 GC-MS

Pass

Water Activity

0.54 aw

SOPTS.4.003

Pass

Mycotoxins

SOPTS.4.300 LC-MS/MS

Cannabinoids (SOPTS.4.100 HPLC Analysis)

Complete

29.485%
294.848 mg/g
Total THC

<LOQ
<LOQ
Total CBD

30.874%
308.737 mg/g
Total Cannabinoids

9.88%
Complete
Moisture

Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	mg/g	%	
THCa	0.2400	0.8000	321.50	32.15	
CBGa	0.2400	0.8000	13.94	1.39	
Δ^9 -THC	0.2400	0.8000	12.89	1.29	
CBG	0.2400	0.8000	1.67	0.17	
CBDa	0.2400	0.8000	<LOQ	<LOQ	
CBDV	0.2400	0.8000	ND	ND	
CBC	0.2400	0.8000	ND	ND	
Δ^8 -THC	0.2400	0.8000	ND	ND	
THCV	0.2400	0.8000	ND	ND	
CBN	0.2400	0.8000	ND	ND	
CBD	0.2400	0.8000	ND	ND	
Total THC			294.848	29.485	
Total CBD			<LOQ	<LOQ	
Total			308.737	30.874	

LABS

Density: g per 1 mL

Cannabinoids Date Tested: 08/17/2022

Total THC = (THCa x 0.877) + Δ^9 -THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Water Activity Analytical Instrumentation: Rotronic HCW HC2-AW-USB Water Activity Meter. Water Activity Analysis Date:; Water Activity Date Tested: 08/17/2022

Moisture Content Analytical Instrumentation: Ohaus MB90 Moisture Balance. Moisture Content Analysis Date:; Moisture Date Tested: 08/17/2022

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 08/17/2022



PJLA
Testing
Accreditation #101219
ISO/IEC 17025:2017

Daniel Bernal
Lab Director
08/18/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

2 of 3

Candy Flip

Overall Status: Pass

Sample ID: 2208NIVA4107.12170

Strain: N/A

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch Size:

Produced:

Collected: 08/16/2022

Received: 08/16/2022

Completed: 08/18/2022

Batch#:

Client

Pacific Grown Organics

Lic. # CCL21-0004778

5892 Via Real

Carpinteria, CA 93013

Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 08/17/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 08/17/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.2	<LOQ	Pass
Cadmium	0.009	0.090	0.2	0.134	Pass
Lead	0.009	0.090	0.5	<LOQ	Pass
Mercury	0.005	0.020	0.1	ND	Pass

Date Tested: 08/17/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219
ISO/IEC 17025:2017

Daniel Bernal
Lab Director
08/18/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

3 of 3

Candy Flip

Overall Status: Pass

Sample ID: 2208NIVA4107.12170

Strain: N/A

Matrix: Plant

Type: Flower - Cured

Sample Size: ; Batch Size:

Produced:

Collected: 08/16/2022

Received: 08/16/2022

Completed: 08/18/2022

Batch#:

Client

Pacific Grown Organics

Lic. # CCL21-0004778

5892 Via Real

Carpinteria, CA 93013

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.1	ND	Pass	Fludioxonil	0.040	0.050	0.1	ND	Pass
Acephate	0.050	0.100	0.1	ND	Pass	Hexythiazox	0.010	0.020	0.1	ND	Pass
Acequinocyl	0.040	0.050	0.1	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.1	ND	Pass	Imidacloprid	0.010	0.020	5	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.1	ND	Pass
Azoxystrobin	0.010	0.020	0.1	ND	Pass	Malathion	0.010	0.020	0.5	ND	Pass
Bifenazate	0.010	0.020	0.1	ND	Pass	Metalaxyl	0.010	0.020	2	ND	Pass
Bifenthrin	0.010	0.020	3	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.1	ND	Pass	Methomyl	0.010	0.020	1	ND	Pass
Captan	0.100	0.100	0.7	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	0.1	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.1	ND	Pass
Chlorantraniliprole	0.040	0.050	10	ND	Pass	Oxamyl	0.010	0.020	0.5	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.1	ND	Pass
Clofentezine	0.010	0.020	0.1	ND	Pass	Permethrin	0.020	0.050	0.5	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.1	ND	Pass
Cyfluthrin	0.050	0.100	2	ND	Pass	Piperonyl Butoxide	0.010	0.020	3	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.1	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.1	ND	Pass
Diazinon	0.010	0.020	0.1	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.5	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.1	ND	Pass
Dimethomorph	0.020	0.050	2	ND	Pass	Spinetoram	0.041	0.061	0.1	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.1	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.1	ND	Pass
Etoazole	0.010	0.020	0.1	ND	Pass	Spirotetramat	0.020	0.050	0.1	ND	Pass
Fenhexamid	0.040	0.050	0.1	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.1	ND	Pass
Fenpyroximate	0.010	0.020	0.1	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5	ND	Pass
Flonicamid	0.010	0.020	0.1	ND	Pass	Trifloxystrobin	0.010	0.020	0.1	ND	Pass

Date Tested: 08/17/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219
ISO/IEC 17025:2017


Daniel Bernal
Lab Director

08/18/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty